



High Quality Low-voltage Switches

- 266 SERIES SWITCHES
- 267 SERIES SWITCHES
- 268 SERIES SWITCHES

Destin Products, Inc.



4703 Wyland Dr. Elkhart IN 46516

p: (574) 327-6505

fax: 574-294-8744

www.destinprod.com

266 SERIES SWITCHES




Shown: 266B-1BBWWWD12-925

Designed to meet or exceed IP68

PART NUMBER DESIGNATION:										
266	-	-	-	-	-	-	-	-	-	-
series	circuit	button	frame	button	lens	light 1	light 2	light	light	etch
		type	color	color	color	color	color	circuit	voltage	design

266 SERIES TYPES AVAILABLE

PART NO.	CIRCUIT	BUTTON TYPES AVAILABLE
266B-	SPST on/off	LASER ETCHABLE COATED BUTTON 
266C-	SPDT on/on	
266D-	SPDT on/off/on	
266E-	DPDT on/on	
266F-	SPDT mom-on/off/mom-on	
266G-	SPDT mom-on/off	
266H-	DPST on/off	
266I-	DPST mom-on/off	
266J-	DPDT mom-on/on	
266K-	DPST on/mom-off	
266L-	SPST on/mom-off	
266N-	SPDT on/off/mom-on	
266P-	DPDT on/off/on	
266Q-	SPDT on/mom-on	
266R-	DPDT on/off/mom-on	
266S-	DPDT mom-on/off/mom-on	
271U-	Switch Blank/Hole Filler	

FRAME/BUTTON COLORS: LENS COLORS AVAILABLE: LIGHT 1&2 COLORS AVAILABLE:

B=Black	A=Amber	A=Amber
W=White	G=Green	G=Green
R=Red	U=Blue	U=Blue
	R=Red	R=Red
	W=White	W=White
	N=None	N=None

LIGHT CIRCUITS AVAILABLE: LIGHT VOLTAGE AVAILABLE:

D=Dependent	12VDC
I=Independent	
B=1Dependent/1independent	
N=None	

Custom circuits, colors and printing options available upon request.

These Switches Meet The IP68 Standard.

Rating: 20A 12VDC

Cutout: 21.2 X 37.2 *For Reference Only, Test Cutout Size In Your Material

DESTIN Products, Inc.


p: (574) 327-6505

f: 574-294-8744

4703 Wyland Dr. Elkhart IN 46516

www.destinprod.com

267 SERIES SWITCHES



Shown: 267B-2BBUUND12

Designed to meet or exceed IP68

PART NUMBER DESIGNATION:

267 - - - - -

series circuit button frame button lens light 1 light 2 light light
 type color color color color color color circuit voltage

267 SERIES TYPES AVAILABLE

PART NO.	CIRCUIT	BUTTON TYPES AVAILABLE
267B-	SPST on/off	
267C-	SPDT on/on	
267D-	SPDT on/off/on	
267E-	DPDT on/on	
267F-	SPDT mom-on/off/mom-on	
267G-	SPDT mom-on/off	
267H-	DPST on/off	
267I-	DPST mom-on/off	
267J-	DPDT mom-on/on	
267K-	DPST on/mom-off	
267L-	SPST on/mom-off	
267N-	SPDT on/off/mom-on	
267P-	DPDT on/off/on	
267Q-	SPDT on/mom-on	
267R-	DPDT on/off/mom-on	
267S-	DPDT mom-on/off/mom-on	
271U-	Switch Blank/Hole Filler	

Add "S" For Soft Material

FRAME/BUTTON COLORS: LENS COLORS AVAILABLE: LIGHT 1&2 COLORS AVAILABLE:

B=Black
 W=White
 R=Red

A=Amber
 G=Green
 U=Blue
 R=Red
 W=White
 N=None

A=Amber
 G=Green
 U=Blue
 R=Red
 W=White
 N=None

LIGHT CIRCUITS AVAILABLE:

D=Dependent
 I=Independent
 B=1Dependent/1independent
 N=None

LIGHT VOLTAGE AVAILABLE:

12VDC

Custom circuits, colors and printing options available upon request.

These Switches Meet The IP68 Standard.

Rating: 20A 12VDC

Cutout: 21.2 X 37.2 *For Reference Only, Test Cutout Size In Your Material

DESTIN Products, Inc.


p: 574-294-5776

f: 574-294-8744

4703 Wyland Dr. Elkhart IN 46516

www.destinprod.com

268 SERIES SWITCHES



Shown: 268D-5BBRRRD12




designed to meet or exceed IP68

PART NUMBER DESIGNATION:

268 - - - - -

series circuit button frame button lens light 1 light 2 light light
 type color color color color color color circuit voltage

268 SERIES TYPES AVAILABLE

PART NO.	CIRCUIT	BUTTON TYPES AVAILABLE
268B-	SPST on/off	Add "S" For Soft Material   
268C-	SPDT on/on	
268D-	SPDT on/off/on	
268E-	DPDT on/on	
268F-	SPDT mom-on/off/mom-on	
268G-	SPDT mom-on/off	
268H-	DPST on/off	
268I-	DPST mom-on/off	
268J-	DPDT mom-on/on	
268K-	DPST on/mom-off	
268L-	SPST on/mom-off	
268N-	SPDT on/off/mom-on	
268P-	DPDT on/off/on	
268Q-	SPDT on/mom-on	
268R-	DPDT on/off/mom-on	
268S-	DPDT mom-on/off/mom-on	
271U-	Switch Blank/Hole Filler	

FRAME/BUTTON COLORS: LENS COLORS AVAILABLE: LIGHT 1&2 COLORS AVAILABLE:

B=Black
 W=White
 R=Red

A=Amber
 G=Green
 U=Blue
 R=Red
 W=White
 N=None

A=Amber
 G=Green
 U=Blue
 R=Red
 W=White
 N=None

LIGHT CIRCUITS AVAILABLE:

D=Dependent
 I=Independent
 B=1Dependent/1independent
 N=None

LIGHT VOLTAGE AVAILABLE:

12VDC

Custom circuits, colors and printing options available upon request.

These Switches Meet The IP68 Standard.

Rating: 20A 12VDC

Cutout: 21.2 X 37.2 *For Reference Only, Test Cutout Size in Your Material.

DESTIN Products, Inc.

p: (574) 327-6505

f: 574-294-8744

4703 Wyland Dr. Elkhart IN 46516

www.destinprod.com